



RHINO METALSTM
BEST IN GUN SAFES AND VAULT DOORS

2024
PRODUCT CATALOG



WELCOME

In 2024 we will celebrate our 29th anniversary. What started out as a small veteran-owned welding job shop has grown into the leading safe manufacturer in the country. Our success reflects the unmatched opportunity and liberty afforded to Americans under the US Constitution, the incredible dedication of everyone at Team Rhino, and most of all, the trust and loyalty of our customers. We would be nothing without our customers.

We look forward to taking care of you, our customers, and continuing to make the best products we can.

Protecting and Securing America

Team Rhino

CONTENTS

- 3 Welcome
- 5 Rhino Metals Story
- 7 New SafeX® Security System
- 9 Swing Out Gun Rack System
- 11 Ironworks Thunderbolt Series
- 13 Rhino Thunderbolt Series
- 15 Ironworks AIX Series with SafeX®
- 17 Rhino AX Series with SafeX®
- 19 Rhino RSX Series with SafeX®
- 21 Rhino CX Series with SafeX®
- 23 Rhino RBX/RBFX Series with SafeX®
- 25 Ironworks Vault Door Series
- 27 Rhino Vault Door Series
- 29 Kodiak KSX Series with SafeX®
- 31 Kodiak KGX Series with SafeX®
- 33 Kodiak KBX Series with SafeX®
- 35 Longhorn Series





THE RHINO METALS STORY

★★★ SHAPING THE FUTURE OF SECURITY ★★★

COMMITMENT TO EXCELLENCE...DISCIPLINE

For American fighter pilots, these are more than just words; they are the code to live by. It's this culture of excellence that makes our fighter pilots the best in the world at protecting us against evil. And in this world we live in, there is no end to the evil that seeks to threaten our lives, liberty and property. One seasoned fighter pilot took this ethos of excellence, instilled through years of flying fighters, and applied it to the business world, to develop superior security products for Americans.

VISIT OUR YOUTUBE PAGE AT: [RHINO METALS](#) - TO WATCH OUR STORY



Part art, part furniture, and all security, Rhino Metals safes are built to protect you and your family from the uncertainties and evils of this world, and offer more convenience than any other brand.

Rhino Metals products stand as proof of total commitment to excellence in one's craft. They are art, revealed in American craftsmanship. . . the same kind of craftsmanship that built this country.

Rhino Metals stands apart from the competition, with safes and other products that are a cut above in both form and function. And like the fighter pilots protecting this great country, we are here for you, securing America, one safe at a time.



Rhino Vector™ Interior Rapidly Optimizes Space with Ultra Flexibility

THE SAFEX® REVOLUTION



SCAN FOR VIDEO!
(See page 7 for details)



180° Door Opening

MORE SECURITY

Long travel, large diameter locking bolts provide up to 40% more locking engagement than typical gun safes. Anti-pry guides in the doors of our full size gun safes further increase pry protection. Thicker bodies, doors and fire lining provide superior security and fire protection. In some cases, up to 50% thicker than typical gun safes.

MORE FIRE PROTECTION

Internal hinge designs used by other brands are typically welded to the inside of the safe wall and do not provide full coverage fire protection. Rhino's external hinge design provides complete coverage and improved fire protection.

MORE STYLE

Rhino Ironworks. . . art revealed in American craftsmanship. Check out all our Ironworks furniture, toolchests, and safes at [rhinosafe.com!](#)





MORE CONVENIENCE

With the Swing Out Gun Rack System, you'll be able to store more and get to your firearms faster and with less damage. No more digging through your firearms to get to the one you want.

MORE ACCESS

External hinges give you a full 180° of door opening and complete fire lining around the door frame.



BEST WARRANTY IN THE BUSINESS

When you buy a Rhino product, it's backed by the best warranties and warranty support in the industry.




SAFEX[®]

Rhino's NEWEST Revolution in Security

Patent Pending

WHAT IS SAFEX[®]?


To understand what SafeX[®] is, you first need to understand what makes SafeX[®] different than "the other guys." Traditional flat military-type bars and round bolts rely solely on the rigidity of the outer frame to secure the door. As you can see in the images below, when the body of the safe can be pried away from the door, standard locking systems are rendered useless because they merely slide behind the door frame.




Our testing has shown that leading gun safes being sold on the market today for approximately \$2,000 or less can usually be pried open in a few minutes. Most people would agree this isn't the best bang for their buck.

HOW SAFEX[®] WORKS

SafeX[®] doesn't use flat military-type bars or round bolts that slide behind the door frame. Instead, it uses wide flanged anchor studs built into the outside door frame of the safe. When the door is shut, these anchor studs protrude into the door. Then, inside the door, a thick steel locking plate moves behind the rim of the anchor stud to securely interlock and "bolt" the door to the frame. This interlocking feature makes all the difference by limiting the separation that can be achieved between door and door frame during a pry attack.




In our **HEAD-TO-HEAD PRY TESTS**, SafeX[®] could not be pried open, while leading brands using traditional flat military-type bars and round locking bolts failed in only a few minutes. These pry tests were apples-to-apples tests where all the safes had the same steel thickness and are sold at the same price range.



IMPROVED FIRE PROTECTION

A heat-activated fire seal is mounted in the gap between the door and the frame of the safe. This intumescent seal can expand up to 8 times its thickness when activated by heat. In a fire, this placement of the fire seal blocks heat from getting to the sides and back of the door frame for improved fire protection.



MORE ROOM FOR YOUR VALUABLES

When locked, the slim door design of SafeX[®] is relatively flush with the interior door frame of the safe. This creates more storage space inside the safe than standard designs where the door significantly extends into the safe's interior.

SAFEX[®] - SHAPING THE FUTURE OF SECURITY



SWING OUT GUN RACK SYSTEM

★ UNEQUALED STORAGE & FASTER ACCESS TO MORE WEAPONS ★

Rhino's exclusive **patented** Swing Out Gun Rack System (U.S. patent number 9,140,049) is available in two sizes and available on most models. With it, you will store more firearms, including scoped and tactical, and have the fastest access to all of them. Store firearms on the rack in any orientation you need to better fit together (muzzle up or muzzle down, trigger in or trigger out) to use almost every slot on the rack. Simply swing the rack out to have instant access to any firearm along the back or side walls.

Long gun capacity, scoped gun capacity, and easy access to your guns are usually trade-offs. If you want a lot of one, you typically have to sacrifice the other two. With Rhino's exclusive patented Swing Out Gun Rack System with Rifle Rods, this problem is eliminated and you can have it all.

- Store more scoped firearms
- No more digging through your firearms to get to the one you want
- Full access to your door organizer, unlike door mounted rack systems
- 2-3 times more fast-access to your firearms than conventional safes
- 2-3 times more fast-access to your firearms than safes with door mounted rack systems
- Store up to 4 times more scoped and tactical firearms



Scan QR Code for More Details



Floor Storage Area Under Rack Unlike Other Rack Systems



Firearms Can Be Stored Barrel Up or Down to Fit More Scoped Firearms



Flexible Cushioned Butt and Barrel Rests Help Protect From Damage

THE EFFICIENT WAY TO STORE YOUR FIREARMS.

Storing and accessing your firearms has never been this easy and convenient.

Visit rhinosafe.com for a list of approved models.

CONVENIENCE COMPARISON	COMPETITOR CONVENTIONAL SAFES	COMPETITOR DOOR MOUNTED GUN RACKS	RHINO SWING OUT GUN RACK WITH RIFLE RODS
FAST-ACCESS TO ALL AREAS OF DOOR ORGANIZER	YES	NO	YES
FLOOR STORAGE AREA	NO	NO	YES
FAST-ACCESS TO ALL FIREARMS IN BAY	NO	NO	YES
BEST WITH AR/OPTICS/SCOPED FIREARMS	NO	NO	YES

ACTUAL* CAPACITY COMPARISON 34-35 CUBIC FEET SAFES	CONVENTIONAL SAFES WITH OR WITHOUT DOOR MOUNTED GUN RACK	RHINO SWING OUT GUN RACK WITH RIFLE RODS	INCREASE
TOTAL CAPACITY	34-36	47	34%
FAST-ACCESS FIREARMS	6-9	22	366%
FAST-ACCESS AR/OPTICS/SCOPED FIREARMS	4-6	16	400%

*Based on a typical mix of scoped, non-scoped, tactical/AR style firearms.



IRONWORKS THUNDERBOLT SERIES

★ 7 GA AND 1/4" STEEL CONSTRUCTION ★ TRIPLE INSET DOOR ★ PATENTED IRONWORKS DESIGN ★

MODEL	WEIGHT (approx.)	LONG GUN CAPACITY	DIMENSIONS (H" x W" x D")	CUBIC FEET (approx.)	DOORBOLTS
IWT6033X	1125 lbs	36	60 x 33 x 27	30.9	14
IWT6042X	1327 lbs	54	60 x 42 x 27	39.4	14
IWT7242X	1526 lbs	54	72 x 42 x 27	47.3	16

Available Upgrades: U.L. Listed Direct-Drive Electronic Lock
 U.L. Listed Biometric Electronic Lock with Keypad Back-Up
 Swing Out Gun Rack (Factory Installed Only - Includes Rifle Rods) (Excludes IWT6033X)
 Executive Shelving Kit

FEATURES

- U.L. Listed Manual Lock with Day-Lock
- U.L. Certified RSC / CA DOJ Compliant
- Fire Protection at 1400°F
- Ball Bearing Drill Plate & Spring-Loaded Relocker Protects the Lock
- 7 Gauge Steel Body
- 5.75" Thick Formed Composite Door with Full Coverage .25" Solid Plate Steel Front
- Patented Anti-Tamper Clutched Handle
- NEW Rhino Vector™ Interior Rapidly Optimizes Space with Ultra-Flexibility
- Rifle Rods Kit Included to Help Maximize Firearm Storage
- 1.25" Diameter Doorbolts
- Anti-Pry Doorbolt Guides
- Internal Electrical / USB Outlet (Electric Dehumidifier Included)
- Factory-Installed LED Lighting
- Deluxe Door Organizer with Handgun Holders & Pockets
- External Hinges Allow 180° Door Opening for Better Access
- Full Coverage Fire Lining in Door Frame Unlike Internal Hinge Designs
- Limited Lifetime Warranty (Details in Owner's Manual)
- Free Repair or Replacement After Burglary or Fire
- Secure to Floor (Hardware Included)
- Antiqued Ironworks Finish



Model IWT7242X
 Upgrade Shown: U.L. Listed Direct-Drive Electronic Lock

170
 MINUTE
 FIRE RATING



MADE IN USA
 WITH GLOBAL COMPONENTS



160
MINUTE
FIRE RATING



RHINO THUNDERBOLT SERIES

★ 7 GA AND 1/4" STEEL CONSTRUCTION ★ TRIPLE INSET DOOR ★

MODEL	WEIGHT (approx.)	LONG GUN CAPACITY	DIMENSIONS (H" x W" x D")	CUBIC FEET (approx.)	DOORBOLTS
RT6033X	1098 lbs	36	60 x 33 x 27	30.9	14
RT6042X	1295 lbs	54	60 x 42 x 27	39.4	14
RT7242X	1490 lbs	54	72 x 42 x 27	47.3	16

Available Upgrades: U.L. Listed Direct-Drive Electronic Lock
 U.L. Listed Biometric Electronic Lock with Keypad Back-Up
 Swing Out Gun Rack (Factory Installed Only - Includes Rifle Rods) (Excludes RT6033X)
 Executive Shelving Kit

FEATURES

- U.L. Listed Manual Lock with Day-Lock
- U.L. Certified RSC / CA DOJ Compliant
- Fire Protection at 1400°F
- Ball Bearing Drill Plate & Spring-Loaded Relocker Protects the Lock
- 7 Gauge Steel Body
- 5.75" Thick Formed Composite Door with Full Coverage .25" Solid Plate Steel Front
- Patented Anti-Tamper Clutched Handle
- NEW Rhino Vector™ Interior Rapidly Optimizes Space with Ultra-Flexibility
- Rifle Rods Kit Included to Help Maximize Firearm Storage
- 1.25" Diameter Doorbolts
- Anti-Pry Doorbolt Guides
- Internal Electrical / USB Outlet (Electric Dehumidifier Included)
- Factory-Installed LED Lighting
- Deluxe Door Organizer with Handgun Holders & Pockets
- External Hinges Allow 180° Door Opening for Better Access
- Full Coverage Fire Lining in Door Frame Unlike Internal Hinge Designs
- Limited Lifetime Warranty (Details in Owner's Manual)
- Free Repair or Replacement After Burglary or Fire
- Secure to Floor (Hardware Included)
- Decorative Finials Included with Gloss Finishes
- Customizable Color Options



Model RT6033X in Textured Granite Finish

AVAILABLE COLORS

INTERIOR



TEXTURED EXTERIOR



GLOSS EXTERIOR



TRIM






MADE IN USA
 WITH GLOBAL COMPONENTS



IRONWORKS AIX SERIES

★ **FEATURING THE SAFEX™ SECURITY SYSTEM** ★
 Patent Pending

MODEL	WEIGHT (approx.)	LONG GUN CAPACITY		DIMENSIONS (H" x W" x D")	CUBIC FEET (approx.)
		REGULAR INTERIOR	SWING OUT INTERIOR		
AIX6033	937 lbs	42	up to 30%	60 x 33 x 27	30.9
AIX6636	1091 lbs	45	more than	66 x 36 x 27	37.1
AIX7241	1262 lbs	60	REGULAR INTERIOR	72 x 41 x 27	46.1
AIX7253*	1517 lbs	78		72 x 53 x 27	59.6

Available Upgrades: U.L. Listed Direct-Drive Electronic Lock
 U.L. Listed Biometric Electronic Lock with Keypad Back-Up
 Swing Out Gun Rack (Includes Rifle Rods)
 Executive Shelving Kit
 *Due to the massive door construction of this series, the 7253 is supported by an extra wide door frame.

NEW FOR 2024


FEATURES

- U.L. Listed Manual Lock with Day-Lock
- U.L. Certified RSC / CA DOJ Compliant
- Fire Protection at 1400°F
- Ball Bearing Drill Plate & Spring-Loaded Relocker Protects the Lock
- 10 Gauge Steel Construction
- Thick Formed Composite Door with Full Coverage .25" Solid Steel Plate Front
- Patented Anti-Tamper Clutched Handle
- Rhino Vector™ Interior Rapidly Optimizes Space with Ultra-Flexibility
- Rifle Rods Kit Included to Help Maximize Firearm Storage
- Internal Electrical / USB Outlet
- Factory-Installed LED Lighting
- Deluxe Door Organizer with Handgun Holders & Pockets
- External Hinges Allow 180° Door Opening for Better Access
- Full Coverage Fire Lining in Door Frame Unlike Internal Hinge Designs
- Limited Lifetime Warranty (Details in Owner's Manual)
- Free Repair or Replacement After Burglary or Fire
- Swing Out Gun Rack Compatible
- Secure to Floor (Hardware Included)
- Antiqued Ironworks Finish



Model AIX7253
 Upgrade Shown: Swing Out Gun Rack (Includes Rifle Rods)
 U.L. Listed Direct-Drive Electronic Lock

130
 MINUTE
 FIRE RATING



120
MINUTE
FIRE RATING



RHINO AX SERIES

★ FEATURING THE SAFEX® SECURITY SYSTEM ★
Patent Pending

MODEL	WEIGHT (approx.)	LONG GUN CAPACITY		DIMENSIONS (H" x W" x D")	CUBIC FEET (approx.)
		REGULAR INTERIOR	SWING OUT INTERIOR		
AX6033	907 lbs	42	up to	60 x 33 x 27	30.9
AX6636	1069 lbs	45	30%	66 x 36 x 27	37.1
AX7241	1225 lbs	60	more than	72 x 41 x 27	46.1
AX7253*	1488 lbs	78	REGULAR INTERIOR	72 x 53 x 27	59.6

NEW FOR 2024

FEATURES

- U.L. Listed Manual Lock with Day-Lock
- U.L. Certified RSC / CA DOJ Compliant
- Fire Protection at 1400°F
- Ball Bearing Drill Plate & Spring-Loaded Relocker Protects the Lock
- 10 Gauge Steel Body
- Thick Formed Composite Door with Full Coverage .25" Solid Plate Steel Front
- Patented Anti-Tamper Clutched Handle
- Rhino Vector™ Interior Rapidly Optimizes Space with Ultra-Flexibility
- Rifle Rods Kit Included to Help Maximize Firearm Storage
- Internal Electrical / USB Outlet
- Factory-Installed LED Lighting
- Deluxe Door Organizer with Handgun Holders & Pockets
- External Hinges Allow 180° Door Opening for Better Access
- Full Coverage Fire Lining in Door Frame Unlike Internal Hinge Designs
- Limited Lifetime Warranty (Details in Owner's Manual)
- Free Repair or Replacement After Burglary or Fire
- Swing Out Gun Rack Compatible
- Secure to Floor (Hardware Included)
- Decorative Finials included with Gloss Finishes
- Customizable Color Options



Model AX7241 in Cherrystone Finish
Upgrades Shown: U.L. Listed Direct-Drive Electronic Lock

Available Upgrades: U.L. Listed Direct-Drive Electronic Lock
U.L. Listed Biometric Electronic Lock with Keypad Back-Up
Swing Out Gun Rack (Includes Rifle Rods)
Two-Tone Gloss (Excludes Black and Pearl White)
Executive Shelving Kit
*Due to the massive door construction of this series, the 7253 is supported by an extra wide door frame.

AVAILABLE COLORS


INTERIOR



HEATHER

LEATHERETTE

TEXTURED EXTERIOR



CHERRYSTONE

GRANITE

BLACKSTONE

GLOSS EXTERIOR



BLACK

PEARL WHITE

TITANIUM



BLUE

CRIMSON

BRONZE

TRIM



BRASS

CHROME

BLACK

BLACK CHROME



RHINO STRONGBOX SERIES

★ FEATURING THE SAFEX[®] SECURITY SYSTEM ★
Patent Pending

FEATURES

- U.L. Listed **Direct-Drive** Electronic Lock
- U.L. **Certified RSC / CA DOJ** Compliant
- Fire Protection at **1400°F**
- **Ball Bearing Drill Plate & Spring-Loaded Relocker** Protects the Lock
- **12 Gauge Steel** Construction
- **Patented Anti-Tamper Clutched Handle**
- **Rhino Vector™ Interior** Rapidly Optimizes Space with **Ultra-Flexibility**
- **Rifle Rods Kit Included** to Help Maximize Firearm Storage
- **Internal Electrical / USB Outlet**
- **Deluxe Door Organizer** with Handgun Holders & Pockets (Excludes RSB3022E)
- External Hinges Allow **180° Door Opening** for Better Access
- **Full Coverage Fire Lining** in Door Frame Unlike Internal Hinge Designs
- **Limited Lifetime Warranty** (Details in Owner's Manual)
- **Free Repair or Replacement** After Burglary or Fire
- **Swing Out Gun Rack** Compatible (Excludes RSB3022E)
- **Secure to Floor** (Hardware Included)
- **Antiqued Ironworks Finish**



Model RSX6636

MODEL	WEIGHT (approx.)	LONG GUN CAPACITY		DIMENSIONS (H" x W" x D")	CUBIC FEET (approx.)
		REGULAR INTERIOR	SWING OUT INTERIOR		
RSB3022E*	250 lbs	N/A	N/A	30 x 22 x 20	7.64
RSX6030	640 lbs	40	up to	60 x 30 x 25	26.0
RSX6636	875 lbs	49	30%	66 x 36 x 25	34.4
RSX7241	950 lbs	56	more than	72 x 41 x 27	46.1
RSX7253	1190 lbs	78	REGULAR INTERIOR	72 x 53 x 27	59.6

Available Upgrades: U.L. Listed Manual Lock with Day-Lock
U.L. Listed Biometric Electronic Lock with Keypad Back-Up
*This model is not equipped with the SafeX[®] Security System


MADE IN USA
WITH GLOBAL COMPONENTS

80
MINUTE
FIRE RATING



RHINO CX SERIES

★ FEATURING THE SAFEX™ SECURITY SYSTEM ★
Patent Pending

MODEL	WEIGHT (approx.)	LONG GUN CAPACITY		DIMENSIONS (H" x W" x D")	CUBIC FEET (approx.)
		REGULAR INTERIOR	SWING OUT INTERIOR		
CD3022*	240 lbs	N/A	N/A	30 x 22 x 20	7.64
CX6030	630 lbs	40	up to	60 x 30 x 25	26.0
CX6636	865 lbs	49	30%	66 x 36 x 25	34.4
CX7241	940 lbs	56	more than	72 x 41 x 27	46.1
CX7253	1180 lbs	78	REGULAR INTERIOR	72 x 53 x 27	59.6

Available Upgrades: U.L. Listed Direct-Drive Electronic Lock
U.L. Listed Biometric Electronic Lock with Keypad Back-Up
Swing Out Gun Rack (Includes Rifle Rods)
Factory Installed LED Lighting
Two-Tone Gloss (Excludes Black and Pearl White)
Executive Shelving Kit
*This model is not equipped with the SafeX™ Security System

FEATURES

- U.L. Listed Manual Lock with Day-Lock
- U.L. Certified RSC / CA DOJ Compliant
- Fire Protection at 1400°F
- Ball Bearing Drill Plate & Spring-Loaded Relocker Protects the Lock
- 12 Gauge Steel Construction
- Patented Anti-Tamper Clutched Handle
- Rhino Vector™ Interior Rapidly Optimizes Space with Ultra-Flexibility
- Rifle Rods Kit Included to Help Maximize Firearm Storage
- Internal Electrical / USB Outlet
- Deluxe Door Organizer with Handgun Holders & Pockets (Excludes CD3022)
- External Hinges Allow 180° Door Opening for Better Access
- Full Coverage Fire Lining in Door Frame Unlike Internal Hinge Designs
- Limited Lifetime Warranty (Details in Owner's Manual)
- Free Repair or Replacement After Burglary or Fire
- Swing Out Gun Rack Compatible (Excludes CD3022)
- Secure to Floor (Hardware Included)
- Decorative Finials included with Gloss Finishes
- Customizable Color Options




Model CX7241 in Gloss Bronze Finish
Upgrade Shown: U.L. Listed Direct-Drive Electronic Lock
Two-Tone Gloss Finish

AVAILABLE COLORS

INTERIOR



TEXTURED EXTERIOR



GLOSS EXTERIOR



TRIM






MADE IN USA
WITH GLOBAL COMPONENTS

40
MINUTE
FIRE RATING



RHINO RBX/RBFX SERIES

★ **FEATURING THE SAFEX™ SECURITY SYSTEM** ★
Patent Pending

FEATURES

- U.L. Listed Electronic Lock
- CA DOJ Firearm Safety Device
- Fire Protection at 1400°F
- Hardened Armor Plate & Spring-Loaded Relocker Protects the Lock
- 14 Gauge Steel Construction
- Anti-Tamper Clutched Handle
- Non-Adjustable Top Shelf & Gun Shelf, Two Adjustable Right Side Shelves
- Internal Electrical / USB Outlet
- Deluxe Door Organizer with Handgun Holders & Pockets
- External Hinges Allow 180° Door Opening for Better Access
- Full Coverage Fire Lining in Door Frame Unlike Internal Hinge Designs
- Limited Lifetime Warranty (Details in Owner's Manual)
- Free Repair or Replacement After Burglary or Fire
- Secure to Floor (Hardware Included)
- Textured Powder-Coat Finish



Model RBX6028



Model RBFX6036

MODEL	WEIGHT (approx.)	LONG GUN CAPACITY	DIMENSIONS (H" x W" x D")	CUBIC FEET (approx.)
RBX/RBFX6028	375 lbs	42	60 x 28 x 22	21.4
RBX/RBFX6033	420 lbs	44	60 x 33 x 22	25.2
RBX/RBFX6036	485 lbs	50	60 x 36 x 22	27.5



Model IWVD8030 Out-Swing
Standard Hinge Shown. Available in Reverse



Model IWVD8240 In-Swing
Standard Hinge Shown. Available in Reverse
Upgrade Shown: U.L. Listed Direct-Drive Electronic Lock



IRONWORKS VAULT DOOR SERIES

★ AMERICAN MADE ★ HANDCRAFTED ★ BUILT TO LAST ★

FEATURES

- U.L. Listed Manual Lock with Day-Lock
- Fire Resistant Design with Dual Intumescent Expanding Fire Seal
- Ball Bearing Drill Plate & Spring-Loaded Relocker Protects the Lock
- Tempered Glass Relocker with Remote Spring-Loaded Relocker Deadbolts the System
- 1.25" Diameter Doorbolts, 3-Sided Protection
- Internal Release & Panic Room Lock-In Mechanism
- Standard & Reverse Opening Capabilities
- Clamshell Design Simplifies Installation & Designed to Fit a Variety of Wall Types, 8"+ Thick
- Industrial Cast Hand Wheel & Antiqued Ironworks Finish to Compliment Any Decor
- Limited Lifetime Warranty (Details in Owner's Manual)
- Free Repair or Replacement After Burglary or Fire
- Antiqued Ironworks Finish

INSTALLATION INSTRUCTIONS
AVAILABLE AT RHINOSAFE.COM

ADDITIONAL DESIGN SPECIFICATION FOR OUT-SWING ONLY

- 120 Minute Fire Protection at 1400°F (Fire Protection can Vary Based on Installation & Room Construction)
- 5.39" Thick Door with Full Coverage .25" Steel Face
- .25" Thick Steel Outer Door Frame
- For Additional Security, the Out-Swing can be Installed Using Expansion Anchors or Lag Bolts (Not Included)

ADDITIONAL DESIGN SPECIFICATION FOR IN-SWING ONLY

- 90 Minute Fire Protection at 1400°F (Fire Protection can Vary Based on Installation & Room Construction)
- 5.79" Thick Door with Full Coverage .25" Steel Core
- 10 Gauge Thick Steel Outer Door Frame
- 12 Gauge Formed Steel Construction

OUT-SWING MODELS

MODEL	WEIGHT (approx.)	MINIMUM ROUGH DOOR OPENING (H" x W")	MAXIMUM ROUGH DOOR OPENING (Clamshell Installation) (H" x W")	MAXIMUM ROUGH DOOR OPENING (Concrete Anchor Installation) (H" x W")	DOORBOLTS
IWVD8030	900 lbs	80.25 x 30.5	83 x 36	81 x 31.25	16
IWVD8035	1030 lbs	80.25 x 35.5	83 x 41	81 x 36.25	18
IWVD8040	1100 lbs	80.25 x 40.5	83 x 46	81 x 41.25	17
IWVD8045	1180 lbs	80.25 x 45.5	83 x 51	81 x 46.25	17

IN-SWING MODELS

MODEL	WEIGHT (approx.)	MINIMUM ROUGH DOOR OPENING (H" x W")	MAXIMUM ROUGH DOOR OPENING (H" x W")	DOORBOLTS
IWVD8240	755 lbs	82.75 x 39.5	83 x 41	21

Available Upgrades: U.L. Listed Direct-Drive Electronic Lock
U.L. Listed Biometric Electronic Lock with Keypad Back-Up



MADE IN USA
WITH GLOBAL COMPONENTS



Model VD8045GL
Back of Door Shown



MADE IN USA
WITH GLOBAL COMPONENTS



Model VD8045GL Out-Swing in Gloss Crimson Finish
Standard Hinge Shown. Available in Reverse
Upgrade Shown: Two-Tone Gloss Finish

AVAILABLE COLORS

TEXTURED EXTERIOR



CHERRYSTONE GRANITE BLACKSTONE

GLOSS EXTERIOR



BLACK PEARL WHITE TITANIUM
BLUE CRIMSON BRONZE

TRIM



BRASS CHROME
BLACK BLACK CHROME



RHINO METALS™

RHINO VAULT DOOR SERIES

★ AMERICAN MADE ★ HANDCRAFTED ★ BUILT TO LAST ★

FEATURES

- U.L. Listed Manual Lock with Day-Lock
- Fire Resistant Design with Dual Intumescent Expanding Fire Seal
- Ball Bearing Drill Plate & Spring-Loaded Relocker Protects the Lock
- Tempered Glass Relocker with Remote Spring-Loaded Relocker Deadbolts the System
- 1.25" Diameter Doorbolts, 3-Sided Protection
- Internal Release & Panic Room Lock-In Mechanism
- Standard & Reverse Opening Capabilities
- Clamshell Design Simplifies Installation & is Designed to Fit a Variety of Wall Types, 8"+ Thick
- Decorative Finials Included with Gloss Finishes
- Customizable Color Options
- Limited Lifetime Warranty (Details in Owner's Manual)
- Free Repair or Replacement After Burglary or Fire

INSTALLATION INSTRUCTIONS
AVAILABLE AT RHINOSAFE.COM

ADDITIONAL DESIGN SPECIFICATION FOR OUT-SWING ONLY

- 120 Minute Fire Protection at 1400°F (Fire Protection can Vary Based on Installation & Room Construction)
- 5.39" Thick Door with Full Coverage .25" Steel Face
- .25" Thick Steel Outer Door Frame
- For Additional Security, the Out-Swing can be Installed Using Expansion Anchors or Lag Bolts (Not Included)

ADDITIONAL DESIGN SPECIFICATION FOR IN-SWING ONLY

- 90 Minute Fire Protection at 1400°F (Fire Protection can Vary Based on Installation & Room Construction)
- 5.79" Thick Door with Full Coverage .25" Steel Core
- 10 Gauge Thick Steel Outer Door Frame
- 12 Gauge Formed Steel Construction

OUT-SWING MODELS

MODEL	WEIGHT (approx.)	MINIMUM ROUGH DOOR OPENING (H" x W")	MAXIMUM ROUGH DOOR OPENING (Clamshell Installation) (H" x W")	MAXIMUM ROUGH DOOR OPENING (Concrete Anchor Installation) (H" x W")	DOORBOLTS
VD8030	900 lbs	80.25 x 30.5	83 x 36	81 x 31.25	16
VD8035	1030 lbs	80.25 x 35.5	83 x 41	81 x 36.25	16
VD8040	1100 lbs	80.25 x 40.5	83 x 46	81 x 41.25	17
VD8045	1180 lbs	80.25 x 45.5	83 x 51	81 x 46.25	17

IN-SWING MODELS

MODEL	WEIGHT (approx.)	MINIMUM ROUGH DOOR OPENING (H" x W")	MAXIMUM ROUGH DOOR OPENING (H" x W")	DOORBOLTS
V8240	755 lbs	82.75 x 39.5	83 x 41	21

Available Upgrades: U.L. Listed Direct-Drive Electronic Lock
U.L. Listed Biometric Electronic Lock with Keypad Back-Up
Two-Tone Gloss (Excludes Black and Pearl White)



KODIAK STRONGBOX SERIES

★ **FEATURING THE SAFEX[®] SECURITY SYSTEM** ★
Patent Pending

NEW SIZES FOR 2024



Model KSX6736

FEATURES

- U.L. Listed TopLit Electronic Lock
- U.L. Certified RSC / CA DOJ Compliant
- Fire Protection at 1400°F
- Triple Hardplate & Spring-Loaded Relocker Protects the Lock
- 12 Gauge Steel Construction
- Patented Anti-Tamper Clutched Handle
- Rhino Vector[™] Interior Rapidly Optimizes Space with Ultra-Flexibility
- Internal Electrical / USB Outlet
- Factory-Installed LED Lighting
- Deluxe Door Organizer with Handgun Holders & Pockets
- External Hinges Allow 180° Door Opening for Better Access
- Full Coverage Fire Lining in Door Frame Unlike Internal Hinge Designs
- Limited Lifetime Warranty (Details in Owner's Manual)
- Free Repair or Replacement After Burglary or Fire
- Pre-Drilled to Bolt to Floor
- Swing Out Gun Rack Compatible
- Unique Antiqued Finish

MODEL	WEIGHT (approx.)	LONG GUN CAPACITY	DIMENSIONS (H" x W" x D")	CUBIC FEET (approx.)
KSX5933	541 lbs	41	59 x 33 x 23	25.9
KSX6736	695 lbs	46	67 x 36 x 25	34.9
KSX7141	801 lbs	63	71 x 41 x 26	43.8





NEW FOR 2024



KODIAK KGX SERIES

★ **FEATURING THE SAFEX® SECURITY SYSTEM** ★
Patent Pending

FEATURES

- U.L. Listed TopLit Electronic Lock
- U.L. Certified RSC / CA DOJ Compliant
- Fire Protection at 1400°F
- Triple Hardplate & Spring-Loaded Relocker Protects the Lock
- 12 Gauge Steel Construction
- Patented Anti-Tamper Clutched Handle
- Rhino Vector™ Interior Rapidly Optimizes Space with Ultra-Flexibility
- Internal Electrical / USB Outlet
- Factory-Installed LED Lighting
- Deluxe Door Organizer with Handgun Holders & Pockets
- External Hinges Allow 180° Door Opening for Better Access
- Full Coverage Fire Lining in Door Frame Unlike Internal Hinge Designs
- Limited Lifetime Warranty (Details in Owner's Manual)
- Free Repair or Replacement After Burglary or Fire
- Pre-Drilled to Bolt to Floor
- Swing Out Gun Rack Compatible
- Gloss Finish

MODEL	WEIGHT (approx.)	LONG GUN CAPACITY	DIMENSIONS (H" x W" x D")	CUBIC FEET (approx.)
KGX5933	536 lbs	41	59 x 33 x 23	25.9
KGX6736	690 lbs	46	67 x 36 x 25	34.9
KGX7141	796 lbs	63	71 x 41 x 26	43.8

60
MINUTE
FIRE RATING



Model KGX7141 in Gloss Gray Finish



Available in Gloss Gray, White, and Brown Finishes



Model KBX5933



RHINO METALS™

KODIAK KBX SERIES

★ **FEATURING THE SAFEX® SECURITY SYSTEM** ★
Patent Pending

FEATURES

- U.L. Listed Electronic Lock
- CA DOJ Certified Firearm Safety Device
- Fire Protection at 1400°F
- Hardened Armor Plate & Spring-Loaded Relocker Protects the Lock
- Anti-Tamper Clutched Handle
- 14 Gauge Steel Construction
- Internal Electrical / USB Outlet (Excludes KBX5622 & KBX5629)
- Deluxe Door Organizer with Handgun Holders & Pockets
- External Hinges Allow 180° Door Opening for Better Access
- Full Coverage Fire Lining in Door Frame Unlike Internal Hinge Designs
- Limited Lifetime Warranty (Details in Owner's Manual)
- Free Repair or Replacement After Burglary or Fire
- Pre-Drilled for Electric Dehumidifier (Excludes KBX5933 & KBX5940)
- Pre-Drilled to Bolt to Floor
- Swing Out Gun Rack Compatible (Model KBX5940 Only)
- Textured Powder-Coat Finish

30 MINUTE / 1400° FIRE PROTECTION

MODEL	WEIGHT (approx.)	LONG GUN CAPACITY	DIMENSIONS (H" x W" x D")	CUBIC FEET (approx.)
KBX5629	342 lbs	42	56 x 29 x 22	20.7

40 MINUTE / 1400° FIRE PROTECTION

MODEL	WEIGHT (approx.)	LONG GUN CAPACITY	DIMENSIONS (H" x W" x D")	CUBIC FEET (approx.)
KBX5933	395 lbs	46	59 x 33 x 22	24.8
KBX5940	457 lbs	57	59 x 40 x 23	31.4

60 MINUTE / 1400° FIRE PROTECTION

MODEL	WEIGHT (approx.)	LONG GUN CAPACITY	DIMENSIONS (H" x W" x D")	CUBIC FEET (approx.)
KBX5622*	344 lbs	35	56 x 22 x 22	15.7

*This model has a 12 gauge steel body



LONGHORN SERIES

RHINO METALS ★ BEAUTIFUL IRONWORKS STYLING ★ CONVENIENT ACCESS ★



Model LSB1014



Model LSB1818



Model LSB2418

FEATURES

- CA DOJ Firearm Safety Device
- Fire Protection at 1400°F
- Anti-Punch and Anti-Drill Boltworks (Excludes LSB1014)
- 14 Gauge Steel Construction
- Thick Composite Door
- Anti-Tamper Clutched Handle (Excludes LSB1014)
- 1" Diameter Doorbolts
- Adjustable Shelf (Excludes LSB1014)
- External Hinges Allow 180° Door Opening for Better Access
- Full Coverage Fire Lining in Door Frame Unlike Internal Hinge Designs
- Limited Warranty (Details in Owner's Manual)
- Unique Antiqued Finish

Model LNS2618
Nightstand / End Table Safe



- Fast Access to Your Handgun
- External Electrical / USB Outlet (On the Back)
- Heavy-Duty Drawer
- Safe with Adjustable Shelf and Handgun Holder



MODEL	WEIGHT (approx.)	FIRE RATING	LOCK STYLE	DIMENSIONS (H" x W" x D")	CUBIC FEET (approx.)	DOORBOLTS
LSB1014	30 lbs	30 min	High-Security Keyed Lock	10 x 14 x 10	0.81	3
LSB1818	90 lbs	60 min	U.L. Listed Electronic Lock	18 x 18 x 14	2.63	4
LSB2418	130 lbs	60 min	U.L. Listed Electronic Lock	24 x 18 x 16	4.0	4
LNS2618	150 lbs	40 min	U.L. Listed Electronic Lock	26 x 20 x 18	1.04	4



★ ★ ★ PART ART, PART FURNITURE, ALL SECURITY ★ ★ ★



RHINO METALS™
VETERAN OWNED AND OPERATED SINCE 1995

Rhino Safe Co.®, Rhino™, Rhino Metals™, Longhorn®, Kodiak®, Avenger®, SafeX®, and Ironworks® are registered trademarks of Rhino Metals, Inc.

MANUFACTURED BY RHINO METALS, INC. | RHINOSAFE.COM | (208) 454-5545
607 GARBER STREET. CALDWELL, IDAHO 83605
U.S. PATENT NUMBERS: 6,541,124 . D728,189 . D742,639 . 9,410,355 . 9,140,049



@rhinometals



Rhino Metals, Inc.



Rhino Metals